

KWH Mirka Ltd
66850 Jeppo

Date printed 16.09.2015, Revision 10.09.2015

Version 01

Page 1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Dry Guide Coat Black

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Applicator

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company KWH Mirka Ltd
Pensalavägen 210
66850 Jeppo / FINLAND
Phone +358 20 760 2111
Fax +358 20 760 2290
Homepage www.mirka.com
E-mail sales@mirka.com

Address enquiries to

Technical information sales@mirka.com
Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Company +358 20 760 2111 (8:00 - 16:00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product does not require a hazard in accordance to OSHA Standard 29 CFR 1910.1200 (HCS 2012)

Hazard pictograms none
Hazard statements none
Precautionary statements none

2.3 Other hazards

Physico-chemical hazards Dust formation.
Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
< 25	Carbon black CAS: 1333-86-4, EINECS/ELINCS: 215-609-9
> 50	Fe ₂ O ₃ CAS: 1309-37-1, EINECS/ELINCS: 215-168-2

Comment on component parts No dangerous components.
Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

KWH Mirka Ltd
66850 Jeppo

Date printed 16.09.2015, Revision 10.09.2015

Version 01

Page 2 / 8

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Supply with medical care. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	All extinguishing media are suitable but method must take into account the surrounding area to minimize dispersion.
Extinguishing media that must not be used	Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
High risk of slipping due to leakage/spillage of product.
Avoid dust formation.

6.2 Environmental precautions

Knock down dust with water spray jet.
Retain and dispose of contaminated wash water.

6.3 Methods and material for containment and cleaning up

Take up mechanically. Avoid production of dust.
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

KWH Mirka Ltd
66850 Jeppo

Date printed 16.09.2015, Revision 10.09.2015

Version 01

Page 3 / 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Avoid the formation and deposition of dust.
Dust deposits that cannot be avoided must be taken up regularly.
Keep away from sources of ignition - refrain from smoking.
Do not eat, drink or smoke when using this product.
Wash hands before breaks and after work.
Use barrier skin cream.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Prevent penetration into the ground.
Keep only in original container.
Do not store together with oxidizing agents.
Keep container in a well-ventilated place.
Keep container tightly closed.
Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Range [%]	Substance
> 50	Fe ₂ O ₃
	CAS: 1309-37-1, EINECS/ELINCS: 215-168-2
	Long-term exposure: 5 mg/m ³ , fume (as Fe)
	Short-term exposure (15-minute): 10 mg/m ³
< 25	Carbon black
	CAS: 1333-86-4, EINECS/ELINCS: 215-609-9
	Long-term exposure: 3,5 mg/m ³
	Short-term exposure (15-minute): 7 mg/m ³

8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.
To pay attention to dust limit value (ACGIH-2011: 10 mg/m³ particle inhalable; 3 mg/m³ particle respirable).

Eye protection Tightly fitting goggles.

Hand protection
Thermal hazards The details concerned are recommendations. Please contact the glove supplier for further information.

Delimitation and monitoring of the environmental exposition In full contact:
0,4 mm: Butyl rubber, >480 min (EN 374).

Skin protection Protective clothing.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Do not inhale dust.
Avoid contact with eyes and skin.

Respiratory protection Respiratory protection in the case of dust formation.
Short term: filter apparatus, combination filter A-P1.

KWH Mirka Ltd
66850 Jeppo

Date printed 16.09.2015, Revision 10.09.2015

Version 01

Page 4 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	powder
Color	black
Odor	odourless
Odour threshold	not determined
pH-value	not determined
pH-value [1%]	not determined
Boiling point [°C]	not determined
Flash point [°C]	non flammable
Flammability [°C]	not determined
Lower explosion limit	not determined
Upper explosion limit	not determined
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	not determined
Bulk density [kg/m ³]	not applicable
Solubility in water	partially miscible
Partition coefficient [n-octanol/water]	not determined
Viscosity	not applicable
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Autoignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.
Reactions with acids.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

KWH Mirka Ltd
66850 Jeppo

Date printed 16.09.2015, Revision 10.09.2015

Version 01

Page 5 / 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Range [%]	Substance
< 25	Carbon black, CAS: 1333-86-4
	LD50, dermal, Rabbit: > 3000 mg/kg (Lit.).
	LD50, oral, Rat: 11000 mg/kg (Lit.).

Serious eye damage/irritation	Based on the information available, the classification criteria have not been fulfilled.
Skin corrosion/irritation	Based on the information available, the classification criteria have not been fulfilled.
Respiratory or skin sensitisation	Based on the information available, the classification criteria have not been fulfilled.
Specific target organ toxicity — single exposure	Based on the information available, the classification criteria have not been fulfilled.
Specific target organ toxicity — repeated exposure	Based on the information available, the classification criteria have not been fulfilled.
Mutagenicity	Based on the information available, the classification criteria have not been fulfilled.
Reproduction toxicity	Based on the information available, the classification criteria have not been fulfilled.
Carcinogenicity	Based on the information available, the classification criteria have not been fulfilled.
Aspiration hazard	Based on the information available, the classification criteria have not been fulfilled.
General remarks	

Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment.

KWH Mirka Ltd
66850 Jeppo

Date printed 16.09.2015, Revision 10.09.2015

Version 01

Page 6 / 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	Dispose of as hazardous waste. Coordinate disposal with the authorities if necessary.
Contaminated packaging	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
RCRA Hazard Class (40CFR 261)	Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.

SECTION 14: Transport

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"
DOT Road Shipment Information (49 CFR) NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

KWH Mirka Ltd
66850 Jeppo

Date printed 16.09.2015, Revision 10.09.2015

Version 01

Page 7 / 8

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Regulations

National regulations	29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65
- SARA, 302	This product is not classified as hazardous under SARA 302.
- SARA, 311	This product is not classified as hazardous under SARA 311.
- SARA, 313	Not determined.
- CA Proposition 65	No chemical substances in this material are named on the California P65 list.
- TSCA	not determined
- FDA	not determined
American Conference of Governmental Industrial Hygienists - ACGIH	Ingredients not listed as carcinogens.
International Agency for Research on Cancer IARC	Ingredients not listed as carcinogens.
National Toxicology Program - NTP	This product is not named NTP - National Toxicology Program.
HAP-VOC	< 0,1%
Transport-regulations	DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).

SECTION 16: Other information

16.1 Ratings

HMIS Ratings

HEALTH	1	1 - Slight Hazard
FLAMMABILITY	1	1 - Slight Hazard
REACTIVITY	0	0 - Minimal Hazard
PERSONAL PROTECTION	X	X - Personal protection rating to be supplied by user depending on use conditions

NFPA Ratings

1	TOP, FLAMMABILITY: 1 - Slight Hazard
1 0	LEFT, HEALTH: 1 - Slight Hazard RIGHT, REACTIVITY: 0 - Minimal Hazard
-	BOTTOM, SPECIAL NOTICE: -

KWH Mirka Ltd
66850 Jeppo

Date printed 16.09.2015, Revision 10.09.2015

Version 01

Page 8 / 8

16.2 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists;
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route;
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses;
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure;
CAS = Chemical Abstracts Service;
CERCLA = Comprehensive Environmental Response, Compensation and Liability Act;
CFR = Code of Federal Regulations;
CPR = Controlled Products Regulations;
DMEL = Derived Minimum Effect Level;
DNEL = Derived No Effect Level;
DOT = Department of Transportation;
EC50 = Median effective concentration;
EPA = Environmental Protection Agency;
GHS = Globally Harmonized System of Classification and Labelling of Chemicals;
IATA = International Air Transport Association;
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;
IC50 = Inhibition concentration, 50%;
IMDG = International Maritime Code for Dangerous Goods;
IARC = International Agency of Research on Cancer;
IATA = International Air Transport Association;
TSCA = Toxic Substance Control Act;
HMIS = Hazardous Materials Identification System;
NFPA = National Fire Protection Association;
NIOSH = National Institute for Occupational Safety and Health;
OSHA = Occupational Safety and Health Administration;
LC50 = Lethal concentration, 50%;
LD50 = Median lethal dose, 50%;
MARPOL = International Convention for the Prevention of Marine Pollution from Ships;
PBT = Persistent, Bioaccumulative and Toxic substance;
PNEC = Predicted No-Effect Concentration;
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals;
SARA = Superfund Amendments and Reauthorization Act;
TLV@TWA = Threshold limit value – time-weighted average;
TLV@STEL = Threshold limit value – short-time exposure limit;
VOC = Volatile Organic Compounds;
vPvB = very Persistent and very Bioaccumulative;

16.3 Other information

Classification procedure

Modified position

none